

STARTRAC

solusi untuk mekanisasi daerah gambut




PT. SAHABAT AGRITAMA

JL. GUNUNG SAHARI RAYA NO. 1 BLC BA-2 JAKARTA 10720

Tel. : +62 21 6594011, 6008467, 6008469 Fax. : +32 21 6594005

Email: sahabatagritama@sahabatgroup.com

STARTRAC SA08535Y With Bucket



Heavy Duty Construction Rubber Track



SPESIFIKASI

MODEL			SA0853SY	SA11535Y
ELECTRICAL STARTER				
MECHINE MASS			950 KGS	950 KGS
MAX. PAYLOAD			850 KGS	850 KGS
Dimesnson	Overall Length		2370 mm	2370 mm
	Overall Width		1185mm	1185mm
	Overall Height		1490mm	1490mm
	Track Contact Length		1280mm	1280mm
	Track Tread		882mm	882mm
	Track Width		350mm	350mm
	Track Clearance		215mm	215mm
Loading Deck	Bucket Inside Dimension	Length	70mm / 1630mm	70mm / 1630mm
		Width	1190mm	1190mm
		Height	650mm	650mm
Engine	Model		Yanmar TF85MRE	Yanmar TF115MRE
	Motor Model		Water -cooled horizontal 4 Stroke Diesel Motor	Water -cooled horizontal 4 Stroke Diesel Motor
	Cylinder (Bore x Stroke)		85 x 87 mm	92 x 96 mm
	Displacement		0.493 Liter	0.638 Liter
	Max. Output		8.5HP / 2200	11.5hp / 2400
	Starter System		Manual (Crank)	Manual (Crank)
	Fuel		Solar	Solar
	Fuel Tank Capacity		10.5L	11L
	Oil Capacity		2.2L	2.8L

STARTRAC SA11535Y with EMDEK SPREADER STFS 300



SPESIFIKASI

- Emdek STFS 300 STARTRAC FERTILIZER SPREADER suitable for spreading granular, crystalline or powdered Fertilizer.
- Fiberglass hopper capacity 300 Liters
- Hidraulic Power Pack.
- Hydraulic Power Pack Consisting of:
 - a. Hydraulic Motor - BMR80
 - b. 20 CC Gear Pump.
 - c. 1 Spool Hand Valve C/W Detent @ "A" Port & "B" Port Closed.
 - d. Hydraulic House (From Hand Valve to Hydraulic Motor)
 - e. Hydraulic House (Suction Line, Pressure Line & Return Line)
 - f. Hydraulic Adaptor.
 - g. Breather Cap C/W Dip Stick / ABP-08B-DS
 - h. Suction Strainer/ SC3-015
 - i. 60 Liters Tank .
 - j. Flexible Coupling

STARTRAC SA08535 Y with EMDEK STS 400 SPRAYER



SPESIFIKASI

- 400 liters Chemical and UV resistant polyethylene tank and strainer basket
- Painted steel frame
- AR70 diaphragm pump and VDR20 pressure control system, 5M suction hoses & extra filter
- 2 hose reels, 2 x 50M length spray hose, 2 pcs trigger operated hand lance
- pulley driven

OPTIONAL:

- Boom Spray 2-4 meter with Nozzles