

STARTRAC

SOLUSI UNTUK MEKANISASI LAHAN GAMBUT



PT. SAHABAT AGRITAMA

JL. GUNUNG SAHARI RAYA NO. 1 BLC BA-2 JAKARTA 10720

Tel. : +62 21 6594011, 6008467, 6008469 Fax. : +62 21 6594005

Email: sahabatagritama@sahabatgroup.com

STARTRAC SCISSOR LIFT



DESCRIPTION		SPECIFICATION
BUCKET	MODEL	SCISSOR LIFT HYDRAULIC DUMP
	BUCKET CAPACITY	750 KGS
	BUCKET MATERIAL	MILD STEEL
	BUCKET SIZE (L X W X H)	1660 X 1180 X 660MM
	DUMPING HEIGHT	1670MM
ENGINE	MODEL	YANMAR TF85MRE-DI
	MOTOR MODEL	WATER -COOLED HORIZONTAL 4 STROKE DIESEL MOTOR
	STARTER SYSTEM	MANUAL AND ELECTRICT START
	POWER	8.5HP / 2200
	FUEL CAPACITY	10.5 LITER
	OIL CAPACITY	2.2 LITER
	BATTERY	12VOLT 70AH
TRACK, SPEED & DIMENSION	CRAWLER SIZE (WIDTH X PITCH X LINK)	350MM X 72 X 54
	CRAWLER TYPE	RUBBER WITH SOLID STEEL FORGED LINKS
	TRAVEL SPEED	4-5KM/H
	GROUND CLEARANCE	550MM
	GROUND CLEARANCE WITH ROLLER	200MM
	OVERALL SIZE (L X W X H)	2580 X 1240 X 1390
	OVERALL WEIGHT	1138KGS

STARTRAC BUCKET



DESCRIPTION		SPECIFICATION
BUCKET	MODEL	HYDRAULIC DUMP
	BUCKET CAPACITY	850KGS
	BUCKET MATERIAL	MILD STEEL
	BUCKET SIZE (L X W X H)	1630 X 1190 X 650MM
	DUMPING HEIGHT	1450MM
ENGINE	MODEL	YANMAR TF85MRE-DI
	MOTOR MODEL	WATER -COOLED HORIZONTAL 4 STROKE DIESEL MOTOR
	STARTER SYSTEM	MANUAL AND ELECTRICT START
	POWER	8.5HP / 2200
	FUEL CAPACITY	10.5 LITER
	OIL CAPACITY	2.2 LITER
	BATTERY	12 VOLT 70AH
TRACK, SPEED & DIMENSION	CRAWLER SIZE (WIDTH X PITCH X LINK)	350MM X 72 X 54
	CRAWLER TYPE	RUBBER WITH SOLID STEEL FORGED LINKS
	TRAVEL SPEED	4-5KM/H
	GROUND CLEARANCE	550MM
	GROUND CLEARANCE WITH ROLLER	200MM
	OVERALL SIZE (L X W X H)	2560 X 1240 X 1390MM
	OVERALL WEIGHT	945KGS

STARTRAC SPREADER




DESCRIPTION		SPECIFICATION
SPREADER	MODEL	EMDEK STFS 300
	HOPPER CAPACITY	300 LTR
	HOPPER MATERIAL	CHEMICAL AND UV RESISTANT POLYETHYLENE (PE)
	HYDRAULIC POWER PACK	<ul style="list-style-type: none"> • HYDRAULIC MOTOR -BM80 • 1 SPOOL HAND VALVE C/2 DETENT @"A" PORT & "B"PORT CLOSED • 20 CC GEAR PUMP • HYDAULIC HOSE (FROM HAND VALVE TO HYDRAULIC MOTOR) • HYDRAULIC HOSE (SUCTION LINE, PRESSURE LINE & RETURN LINE) • HYDRAULIC ADAPTOR • BREATHER CAP C/W DIP STICK / ABP-08B-DS • SUCTION STRAINER / SC3-015 • 60 LITERS TANK • FLEXIBLE COUPLING
ENGINE	MODEL	YANMAR TF115MRE-DI
	MOTOR MODEL	WATTER -COOLED HORIZONTAL 4 STROKE DIESEL MOTOR
	STARTER SYSTEM	MANUAL AND ELECTRICT START
	POWER	11.5HP / 2400
	FUEL CAPACITY	11 LITER
	OIL CAPACITY	2.8 LITER
	BATTERY	12 VOLT 70AH
TRACK, SPEED & DIMENSION	CRAWLER SIZE (WIDTH X PITCH X LINK)	350MM X 72 X 54
	CRAWLER TYPE	RUBBER WITH SOLID STEEL FORGED LINKS
	TRAVEL SPEED	4-5KM/H
	GROUND CLEARANCE	550MM
	GROUND CLEARANCE WITH ROLLER	200MM
	OVERALL SIZE (L X W X H)	2450 X 1240 X 1360MM
	OVERALL WEIGHT	845KGS

STARTRAC SPRAYER



DESCRIPTION		SPECIFICATION
SPRAYER	MODEL	EMDEK STS 400
	TANK CAPACITY	400LTR
	TANK MATERIAL	CHEMICAL AND UV RESITANT POLYETHYLENE (PE)
	PUMP	AR30 WITH CONTROL UNIT VDR 50
	PUMP CAPACITY	30LTR/ MINUTE
	HOSE	2 X HOSE REEL WITH 2 X 50 MTR SPRAY HOSE DIA. 8.5MM, 2 X HAND LANCE & 5MTR DIA. 32MM SUCTION HOSE WITH EXTERNAL FILTER
	DRIVE	PULLEY DRIVEN
	OPTIONAL	SPRAY BOOM 4MTR WITH 6 NOZZLES
ENGINE	MODEL	YANMAR TF85MRE-DI
	MOTOR MODEL	WATTER -COOLED HORIZONTAL 4 STROKE DIESEL MOTOR
	STARTER SYSTEM	MANUAL AND ELECTRICT START
	POWER	8.5HP / 2200
	FUEL CAPACITY	10.5 LITER
	OIL CAPACITY	2.2 LITER
	BATTERY	12 VOLT 70AH
TRACK, SPEED & DIMENSION	CRAWLER SIZE (WIDTH X PITCH X LINK)	350MM X 72 X 54
	CRAWLER TYPE	RUBBER WITH SOLID STEEL FORGED LINKS
	TRAVEL SPEED	4-5KM/H
	GROUND CLEARANCE	550MM
	GROUND CLEARANCE WITH ROLLER	200MM
	OVERALL SIZE (L X W X H)	2580X 1240X 1390MM
	OVERALL WEIGHT	890KGS

CRAWLER RUBBER TRACK



HEAVY DUTY CONSTRUCTION RUBBER TRACK

