

LIVE LARGER



# FREEDOM<sup>®</sup> RXV<sup>®</sup> ELITE<sup>™</sup>



MAINTENANCE FREE  
BATTERIES

8-YEAR BATTERY  
WARRANTY

UNBEATABLE ENERGY  
EFFICIENCY

# FREEDOM® RXV® ELiTE™



**ELiTE**

## EXPERIENCE MORE WITH TECHNOLOGY LIKE NO OTHER.

The Freedom RXV ELiTE is the industry's best when it comes to highly efficient, maintenance-free, lithium battery power. Now with an unprecedented, 8-year warranty, your only worry is choosing where to go next. Choose between a 2.0, 3.0 or 4.0 Samsung SDI lithium ion battery pack for unparalleled performance and lifespan. Amazing is all around you, the Freedom RXV ELiTE gives you technology like no other to discover it.

### TECHNOLOGY LIKE NO OTHER

- Zero-Maintenance Batteries
- Unprecedented, Industry Leading 8-Year Warranty
- Proven Technology w/ Samsung SDI Lithium Batteries
- Effortless Energy Efficiency
- Unbeatable Performance
- Eco-Friendly Technology

### KEY FEATURES

- 18 Inch Turf Tires
- Automatic Parking Brake with Advanced IntelliBrake™ Technology
- Headlights, Taillights & Brake Lights
- Horn
- Integrated Storage Basket
- Energy Transfer Bumpers
- Fuel Gauge (Gas Only)
- State of Charge Meter (Electric Only)
- DC/DC Converter (Electric Only)
- 56-Volt Battery Charger (Electric Only)
- Newly designed dash with large cupholders
- Comfortable Contoured Seats
- Oversized Bagwell
- USB Port

### DIMENSIONS

|                                 |                  |
|---------------------------------|------------------|
| OVERALL LENGTH                  | 94.5 in (240 cm) |
| OVERALL WIDTH                   | 47.0 in (119 cm) |
| OVERALL HEIGHT (W/O ROOF)       | 45.7in (116 cm)  |
| OVERALL HEIGHT (W/ ROOF)        | 68.5 in (174 cm) |
| WHEEL BASE                      | 65.7 in (167 cm) |
| FRONT WHEEL TRACK               | 35.5 in (90 cm)  |
| REAR WHEEL TRACK                | 38.0 in (97 cm)  |
| GROUND CLEARANCE @ DIFFERENTIAL | 3.3 in (8 cm)    |

### POWER

|                         |                                    |
|-------------------------|------------------------------------|
| POWER SOURCE            | 56-Volt DC                         |
| MOTOR TYPE              | 56-Volt AC                         |
| HORSEPOWER (KW)         | 4.4 hp (3.3 kW) Continuous         |
| ELECTRICAL SYSTEM       | 56-Volt                            |
| BATTERIES (TYPE)        | Two, 56V Lithium ELiTE             |
| KEY OR PEDAL START      | Pedal                              |
| BATTERY CHARGER         | Lithium Light Charger 56VDC        |
| SPEED CONTROLLER        | 235-amp AC Controller              |
| DRIVETRAIN              | Motor Shaft Direct Drive           |
| TRANSAXLE               | Limited Slip Differential          |
| GEAR SELECTION          | Forward-Neutral-Reverse Integrated |
| REAR AXLE RATIO         | 16.99:1                            |
| KEY SWITCH              | Into Key Switch                    |
| PROGRAMMABLE GOLF MODES | Unique Group, Unique Individual    |

### PERFORMANCE

|                          |  |
|--------------------------|--|
| SEATING CAPACITY         | 2-Passenger  |
| DRY WEIGHT               | 605 lb (274.4 kg)                                      |
| CURB WEIGHT              | 655 lb (297.1 kg)                                      |
| VEHICLE LOAD CAPACITY    | 800 lb (360 kg)  |
| OUTSIDE CLEARANCE CIRCLE | 19.2 ft (5.8 m)  |
| SPEED (LEVEL GROUND)     | 17.5-19.5 mph (28-31 kph)                              |
| TOWING CAPACITY          | Three E-Z-GO Golf Cars with Approved Permanent Tow Bar |

### STEERING & SUSPENSION

|               |   |
|---------------|---|
| STEERING      | Double-Ended Rack and Pinion  |
| SUSPENSION    | Front: Independent A-Arm Coil-Over Shock;<br>Rear: Mono-Leaf Spring With Hydraulic Shocks |
| SERVICE BRAKE | Induction Motor   |
| PARKING BRAKE | Automatic Electro-Magnetic  |
| TIRES         | 18 x 8.50-8 (4-ply rated)   |

### BODY & CHASSIS

|                               |  |
|-------------------------------|--|
| FRAME                         | Welded Steel with Powder-Coat Protection   |
| BODY & FINISH                 | Injection Molded TPO   |
| AVAILABLE BODY COLORS         | Black, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, White |
| AVAILABLE SEAT COLORS         | Stone Beige, Black   |
| AVAILABLE PREMIUM SEAT COLORS | Gray, Black, Mushroom  |

Distributor



**PT. SAHABAT AGRITAMA**  
 (021) 6594011  
[www.sahabatagritama.com](http://www.sahabatagritama.com)  
 Alamat: No. 1. Blok B1 - B2 Jl. Gn. Sahari RT.16/RW. 3  
 Gn. Sahari Utara. Kecamatan Sawah Besar  
 Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10720

ANTIQUES

LIVE LARGER

EZGO<sup>®</sup>

# FREEDOM<sup>®</sup> RXV<sup>®</sup>



48V DC OR EX1 GAS ENGINE  
WITH CLOSED-LOOP EFI

INDEPENDENT  
FRONT SUSPENSION

ADVANCED INTELLIBRAKE<sup>™</sup>  
TECHNOLOGY

# FREEDOM<sup>®</sup> RXV<sup>®</sup>



**ELECTRIC**

**GAS**

## IGNITE EVERY ONE OF YOUR SENSES.

Say goodbye to ordinary. The E-Z-GO<sup>®</sup> Freedom RXV is designed to help you live larger. Choose between the electric model's patented 48-volt AC drive with automatic parking brake or the industry's most efficient, first-of-its kind EX1 gas engine. You've earned an incredible life, let the Freedom RXV get you there.

### KEY FEATURES

- 18 Inch Turf Tires
- Automatic Parking Brake with Advanced IntelliBrake™ Technology (Electric Only)
- Headlights, Taillights & Brake Lights
- Horn
- Integrated Storage Basket
- Energy Transfer Bumpers
- Fuel Gauge (Gas Only)
- State of Charge Meter (Electric Only)
- DC/DC Converter (Electric Only)
- 48-Volt Battery Charger (Electric Only)
- Newly designed dash with large cupholders
- Comfortable Contoured Seats
- Oversized Bagwell
- USB Port



The greenest gas engine and lowest emissions in the industry, the EX1 is an experience like no other.

### DIMENSIONS

|                                 |                  |
|---------------------------------|------------------|
| OVERALL LENGTH                  | 94.5 in (240 cm) |
| OVERALL WIDTH                   | 47.0 in (119 cm) |
| OVERALL HEIGHT (W/O ROOF)       | 47.5 in (121 cm) |
| OVERALL HEIGHT (W/ ROOF)        | 70.0 in (178 cm) |
| WHEEL BASE                      | 65.7 in (167 cm) |
| FRONT WHEEL TRACK               | 35.5 in (90 cm)  |
| REAR WHEEL TRACK                | 38.0 in (97 cm)  |
| GROUND CLEARANCE @ DIFFERENTIAL | 4.0 in (10 cm)   |

### POWER

|                    |  |  |
|--------------------|--|--|
| POWER SOURCE       | 48-Volt AC                               | 4-Cycle, 9.15 cu in (150 cc)             |
| HORSEPOWER (KW)    | 4.4 hp (3.3 kW) Continuous               | 11.5 hp (8.6 kW) J1995 Standard          |
| ELECTRICAL SYSTEM  | 48-Volt                                  | Internal Starter Generator               |
| BATTERIES (TYPE)   | Four, 12 Volt Deep Cycle                 | One, 12-Volt Maintenance-Free            |
| KEY OR PEDAL START | Pedal                                    |  |
| BATTERY CHARGER    | Lead Acid Charger; SC-48 (3.0 M) DC Cord | N/A                                      |
| SPEED CONTROLLER   | 235-amp Solid-State Controller           | N/A                                      |
| DRIVETRAIN         | Motor Shaft Direct Drive                 | Continuously Variable Transmission (CVT) |
| TRANSAXLE          | Limited Slip Differential                | Differential with Helical Gears          |
| GEAR SELECTION     | Forward-Neutral-Reverse Integrated       | Forward-Reverse                          |
| REAR AXLE RATIO    | 16.99:1                                  | 11:47:1 (Forward) 14:35:1 (Reverse)      |

### PERFORMANCE

|                          |  |                                     |
|--------------------------|--|-------------------------------------|
| SEATING CAPACITY         | 2-Passenger  |                                     |
| DRY WEIGHT               | 565 lb (256.3 kg)                                      | 676 lb (307 kg)                     |
| CURB WEIGHT              | 905 lb (410.5 kg)                                      | 692 lb (314 kg)                     |
| VEHICLE LOAD CAPACITY    | 800 lb (360 kg)  | 500 lb (227 kg)                     |
| OUTSIDE CLEARANCE CIRCLE | 19.2 ft (5.8 m)  | 19.0 ft (5.8 m)                     |
| SPEED (LEVEL GROUND)     | 17.5-19.5 mph (28-31 kph)                              | 19 mph ± 0.5 mph (31 kph ± 0.8 kph) |
| TOWING CAPACITY          | Three E-Z-GO Golf Cars with Approved Permanent Tow Bar |                                     |

### STEERING & SUSPENSION

|               |   |  |
|---------------|---|--|
| STEERING      | Double-Ended Rack and Pinion  |  |
| SUSPENSION    | Front: Independent A-Arm Coil-Over Shock;<br>Rear: Mono-Leaf Spring With Hydraulic Shocks |  |
| SERVICE BRAKE | Induction Motor   | Rear Wheel Mechanical Self-Adjusting Drums |
| PARKING BRAKE | Automatic Electro-Magnetic  | Self-Compensating, Single Point Engagement |
| TIRES         | 18 x 8.50-8 (4-ply rated)   |  |

### BODY & CHASSIS

|                               |  |  |
|-------------------------------|--|--|
| FRAME                         | Welded Steel with Powder-Coat Protection   |  |
| BODY & FINISH                 | Injection Molded TPO   |  |
| AVAILABLE BODY COLORS         | Black, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, White |  |
| AVAILABLE SEAT COLORS         | Stone Beige, Black (custom colors also available)  |  |
| AVAILABLE PREMIUM SEAT COLORS | Gray, Black, Mushroom  |  |

Distributor



**PT. SAHABAT AGRITAMA**  
(021) 6594011  
www.sahabatagrityama.com  
Alamat: No. 1, Blok B1 - B2 Jl. Gn. Sahari RT.16/RW. 3  
Gn. Sahari Utara, Kecamatan Sawah Besar  
Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10720