

LIVE LARGER
EZGO[®]

ALL-NEW

EXPRESS[™] L6



72-VOLT AC ELECTRIC
OR 13.5-HP GAS ENGINE
WITH CLOSED LOOP EFI

COMFORTABLE
ROOM FOR 6

DURABLE PLASTIC FLIP
REAR SEAT FRAME WITH
ENCLOSED STORAGE

EXPRESS™ L6

ADD EVEN MORE TO YOUR LIFE.

Outdo yourself by exploring more than ever before with the all-new Express L6 series. With room for 6, rugged tires, and higher ground clearance, you'll elevate everyone's expectations for a smooth, stylish ride. Boost your drive time with the unbeatable power of our exclusive 72-volt powertrain or choose the industry's first closed-loop EFI powertrain. It's time to start crossing things off your bucket list with the all-new Express L6, here to awaken your sense of adventure.

KEY FEATURES

- Spacious legroom and front room operator area
- Smooth and quiet Paramount M/T Tires with Radial SPDR Wheel
- Convertible rear seat with durable composite frame and built in storage
- Headlights, Taillights and Brake Lights
- Functional dash with versatile cup and technology holders and three storage areas
- Dashboard Storage Pockets
- Premium Steering Wheel
- Large Fender Flares
- Dual USB Ports
- Multi-Function Speed, State Of Charge and Hour Meter Gauge (Electric Only)
- DC/DC Converter (Electric Only)
- 72-Volt AC Powertrain (Electric Only)
- Fuel Gauge (Gas Only)
- Low Oil Indicator (Gas Only)



ELECTRIC

GAS

DIMENSIONS

OVERALL LENGTH	144 in (364 cm)
OVERALL WIDTH	49 in (125 cm)
OVERALL HEIGHT (W/O ROOF)	55.5 in (141 cm)
OVERALL HEIGHT (W/ ROOF)	83 in (211 cm)
WHEEL BASE	97 in (245 cm)
FRONT WHEEL TRACK	38.5 in (98 cm)
REAR WHEEL TRACK	38.5 in (98 cm)
GROUND CLEARANCE @ DIFFERENTIAL	7.0 in (18 cm)

POWER

POWER SOURCE	72 Volt DC	4 Cycle 24.5 cu in (401 cc)
VALVE TRAIN	N/A	Single Cylinder OHV
MOTOR TYPE	AC Induction	N/A
FUEL SYSTEM	N/A	Closed-Loop Electronic Fuel Injection
HORSEPOWER (KW)	22.4 hp (16.7 kW) Peak	13.5 hp (10.1 kW) Exceeds SAE J1940 Std
ELECTRICAL SYSTEM	72 Volt	Starter/Generator - Solid State Regulator
BATTERIES (QTY/TYPE)	Six, 12 Volt Deep Cycle	One, 12 Volt Maintenance Free
KEY OR PEDAL START	Pedal Start	
AIR CLEANER	N/A	Replaceable Dry Cartridge
LUBRICATION	N/A	Pressurized Oil System
OIL FILTER	N/A	Spin-On
COOLING SYSTEM	N/A	Air Cooled
FUEL CAPACITY	N/A	5.96 Gallon (22.6 L) Tank
BATTERY CHARGER	72V, 120/230 VAC, UL & CSA	N/A
SPEED CONTROLLER	350 Amp AC	N/A
DRIVETRAIN	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
TRANSAXLE	Differential with Helical Gears	
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse	Forward-Reverse
REAR AXLE RATIO	17:1	11.47:1 (Forward); 14.35:1 (Reverse)

PERFORMANCE

SEATING CAPACITY	6-Passenger	
DRY WEIGHT	1066 lb. (484 kg)	1150 lb (522 kg) (without battery)
CURB WEIGHT	1558 lb. (707 kg)	1190 lb (540 kg)
VEHICLE LOAD CAPACITY	1200 lb (544 kg)	
OUTSIDE CLEARANCE CIRCLE	25.5 ft (7.8 m)	
SPEED (LEVEL GROUND)	Up to 19 mph ± 0.5 mph (Up to 30.6 kph ± 0.8 kph)	

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	MT Paramount, 23x10-14, Radial, SPDR Alloy Wheel

BODY & CHASSIS

FRAME	Welded steel with E-coat and DuraShield™ powder coat
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Black, Bright White, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, Slate
AVAILABLE SEAT COLORS	Black, Grey on Black, White on Beige
AVAILABLE PREMIUM SEAT COLORS	Black, Grey, Mushroom



Black



Bright White



Electric Blue



Flame Red



Inferno Red



Metallic Charcoal



Ocean Grey



Platinum



Slate

LIVE LARGER

EZGO[®]

ALL-NEW

EXPRESS[™] L6 ELITE[™]



MAINTENANCE FREE
BATTERIES

8-YEAR BATTERY
WARRANTY

UNBEATABLE ENERGY
EFFICIENCY

EXPRESS™ L6 ELiTE™

THE LUXURY OF HAVING MORE.

The all-new Express L6 ELiTE is fully loaded with technology like no other. Powered by a high performing, energy efficient Samsung SDI lithium battery system, the Express L6 ELiTE will ignite your next adventure. With maintenance free batteries, backed by an unprecedented 8-year battery warranty, the Express L6 ELiTE helps cultivate the perfect memories making the most of every moment. It's time to get away, time to explore and see what adventures you can find along the next path. The perfect spot is waiting to be found with the Express L6 ELiTE.

TECHNOLOGY LIKE NO OTHER

- Zero-Maintenance Batteries
- Unprecedented, Industry Leading 8-Year Warranty
- Proven Technology w/ Samsung SDI Lithium Batteries
- Effortless Energy Efficiency
- Unbeatable Performance
- Eco-Friendly Technology

KEY FEATURES

- Spacious legroom and front room operator area
- Smooth and quiet Paramount M/T Tires with Radial SPDR Wheel
- Convertible rear seat with durable composite frame and built in storage
- LED Headlights
- Functional dash with versatile cup and technology holders and three storage areas
- Headlights, Taillights and Brake Lights
- Large Fender Flares
- Premium Steering Wheel
- Dual USB Ports



ELITE

DIMENSIONS

OVERALL LENGTH	144.5 in (367 cm)
OVERALL WIDTH	49 in (125 cm)
OVERALL HEIGHT (W/O ROOF)	56 in (142 cm) (Top of steering wheel)
OVERALL HEIGHT (W/ ROOF)	80 in (203 cm)
WHEEL BASE	99.5 in (253 cm)
FRONT WHEEL TRACK	38.5 in (98 cm)
REAR WHEEL TRACK	38.5 in (98 cm)
GROUND CLEARANCE @ DIFFERENTIAL	5.5 in (14 cm)

POWER

POWER SOURCE	56 Volt DC
MOTOR TYPE	56 Volt AC
HORSEPOWER (KW)	13.1 HP (9.8 kW) Peak
ELECTRICAL SYSTEM	56 Volt
BATTERIES (TYPE)	Three Lithium Ion 56 Volt
KEY OR PEDAL START	Pedal Start
BATTERY CHARGER	56VDC, 120/230 VAC, UL/CSA, CE
SPEED CONTROLLER	300 Amp AC
DRIVETRAIN	Motor Shaft Direct Drive
TRANSAXLE	Differential with Helical Gears
GEAR SELECTION	Dash Mounted Forward-Neutral-Reverse
REAR AXLE RATIO	17:1

PERFORMANCE

SEATING CAPACITY	6-Passenger
DRY WEIGHT	1125 lb (510 kg) (without battery)
CURB WEIGHT	1225 lb (556 kg)
VEHICLE LOAD CAPACITY	1200 lb (544 kg)
OUTSIDE CLEARANCE CIRCLE	25.5 ft (7.8 m)
HIGH SPEED (LEVEL GROUND)	Up to 19 mph ± 0.5 mph (Up to 30.6 kph ± 0.8 kph)

STEERING & SUSPENSION

STEERING	Self-Compensating Rack and Pinion
SUSPENSION	Leaf Springs with Hydraulic Shock Absorbers
SERVICE BRAKE	Rear Wheel Mechanical Self-Adjusting Drum
PARKING BRAKE	Self-Compensating, Single Point Engagement
TIRES	MT Paramount, 23x10-14, Radial, SPDR Alloy Wheel

BODY & CHASSIS

FRAME	Welded Steel with E-coat & DuraShield™ Powder Coat
BODY & FINISH	Injection Molded TPO
AVAILABLE BODY COLORS	Black, Bright White, Electric Blue, Flame Red, Inferno Red, Metallic Charcoal, Ocean Grey, Platinum, Slate
AVAILABLE SEAT COLORS	Black, Grey on Black, White on Beige
AVAILABLE PREMIUM SEAT COLORS	Black, Gray and Mushroom

Distributor



PT. SAHABAT AGRITAMA
 (021) 6594011
www.sahabatagritama.com
 Alamat: No. 1. Blok B1 - B2 Jl. Gn. Sahari RT.16/RW. 3
 Gn. Sahari Utara. Kecamatan Sawah Besar
 Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10720

